

Patent

**RECEIVED  
CENTRAL FAX CENTER**

**JUN 01 2006**

Customer No.: 31561  
Docket No.: 10573-US-PA  
Application No.: 10/604,793

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re application of

Applicant : Rui-Hui Wen  
 Application No. : 10/604,793  
 Filed : 2003/8/18  
 For : ION SAMPLING SYSTEM FOR WAFER AND SAMPLING  
 METHOD THEREOF  
 Art Unit : 1746  
 Examiner : KORNAKOV, MICHAEL

---

**TRANSMITTAL LETTER**

002-1-571-273-8300

(Via fax : 1+7 pages)

Assistant Commissioner for Patents  
 Alexandria, VA 22314

Dear Sir,

In response to the Office Action dated May 18, 2006(Paper No.: 20060516), please find the Response to Office Action, in 7 pages.

I believe that no fee is incurred. However, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No. 50-2620 (Order No.: 10573-US-PA).

Thank you for your assistance in the subject matter. If you have any questions, please feel free to contact me.

Respectfully Submitted,  
 JIANQ CHYUN Intellectual Property Office

Date : June 1, 2006

By : Belinda Lee  
 Belinda Lee  
 Registration No.: 46,863

Please send future correspondence to:

7F. -1, No. 100, Roosevelt Rd.,  
 Sec. 2, Taipei 100, Taiwan, R.O.C.  
 Tel: 886-2-2369 2800 Fax: 886-2-2369 7233 / 886-2-2369 7234  
 E-MAIL: [BELINDA@JCIPGroup.com.tw](mailto:BELINDA@JCIPGroup.com.tw); [USA@JCIPGroup.com.tw](mailto:USA@JCIPGroup.com.tw)

JUN-01-2006 THU 16:41

FAX NO.

P. 02/08

RECEIVED  
CENTRAL FAX CENTER

JUN 01 2006

Customer No.: 31561  
Application No.: 10/604,793  
Docket No.: 10573-US-PA

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner: KORNAKOV, MICHAEL  
Group Art Unit: 1746

In re PATENT APPLICATION of  
Applicant : Rui-Hui Wen

)

Serial No. : 10/604,793

)

AMENDMENT

Filed : August 18, 2003

)

For : ION SAMPLING SYSTEM FOR  
WAFER AND SAMPLING  
METHOD THEREOF

)

) Attorney Docket: 10573-US-PA

)

No fee is believed to be due. However, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No. 50-2620 (Order No.: 10573-US-PA)

RESPONSE TO RESTRICTION REQUIREMENT

United States Patent and Trademark Office  
Customer Service Window, Mail Stop Amendment  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

Dear Sir:

The Office Action mailed on May 18, 2006 has been carefully considered.

In response thereto, please kindly consider the following amendments and remarks.

Customer No.: 31561  
Application No.: 10/604,793  
Docket No.: 10573-US-PA

**AMENDMENTS**

Please amend the application as indicated hereafter.

**To the Title:**

Please amend the title as follows,

"ION SAMPLING SYSTEM FOR WAFER AND ~~SAMPLING METHOD THEREOF~~"